

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

IN THE CLAIMS:

1. (Original) A method for providing features in a logical volume management system, comprising:
 - loading a set of feature plug-in modules;
 - selecting a first plurality of feature plug-in modules from the set of feature plug-in modules;
 - ordering the first plurality of feature plug-in modules; and
 - applying the first plurality of feature plug-in modules to a first volume.
2. (Original) The method of claim 1, wherein the first volume comprises at least one aggregate and wherein the step of selecting the first plurality of feature plug-in modules comprises:
 - receiving logical volume manager data associated with the at least one aggregate;
 - and
 - selecting the first plurality of feature plug-in modules based on the logical volume manager data associated with the at least one aggregate.
3. (Original) The method of claim 2, wherein the aggregate comprises at least one partition and wherein the step of selecting the first plurality of feature plug-in modules further comprises:
 - receiving logical volume manager data associated with the at least one partition;
 - and
 - selecting the first plurality of feature plug-in modules based on the logical volume manager data associated with the at least one partition.
4. (Original) The method of claim 1, wherein the first volume comprises at least one partition and wherein the step of selecting the first plurality of feature plug-in modules comprises:
 - receiving logical volume manager data associated with the at least one partition;
 - and

selecting the first plurality of feature plug-in modules based on the logical volume manager data associated with the at least one partition.

5. (Original) The method of claim 1, wherein the step of selecting the first plurality of feature plug-in modules comprises:

receiving a selection of feature plug-in modules by a user; and
selecting the first plurality of feature plug-in modules based on the selection.

6. (Original) The method of claim 1, wherein the step of ordering the first plurality of feature plug-in modules comprises:

receiving classification information corresponding to the first plurality of feature plug-in modules, the classification information indicating a class for each feature plug-in module in the first plurality of feature plug-in modules; and
ordering the first plurality of feature plug-in modules based on the classification information.

7. (Currently Amended) A method for providing features in a logical volume management system, comprising:

loading a set of feature plug-in modules;

selecting a first plurality of feature plug-in modules from the set of feature plug-in modules;

ordering the first plurality of feature plug-in modules, comprising:

receiving classification information corresponding to the first plurality of feature plug-in modules, the classification information indicating a class for each feature plug-in module in the first plurality of feature plug-in modules The method of claim 6, wherein the class for each feature plug-in module in the first plurality of feature plug-in modules comprises one of partition, volume, and aggregate; and

ordering the first plurality of feature plug-in modules based on the classification information; and

applying the first plurality of feature plug-in modules to a first volume.

8. (Original) The method of claim 6, wherein at least two feature plug-in modules in the first plurality of feature plug-in modules are in the same class and wherein the step of ordering the first plurality of feature plug-in modules further comprises:

receiving ordering attribute information corresponding to the first plurality of feature plug-in modules, the ordering attribute information indicating an attribute for each class it belongs to; and

ordering the first plurality of feature plug-in modules based on the ordering attribute information.

9. (Currently Amended) A method for providing features in a logical volume management system, comprising:

loading a set of feature plug-in modules;

selecting a first plurality of feature plug-in modules from the set of feature plug-in modules;

ordering the first plurality of feature plug-in modules, comprising:

receiving classification information corresponding to the first plurality of feature plug-in modules, the classification information indicating a class for each feature plug-in module in the first plurality of feature plug-in modules,

wherein at least two feature plug-in modules in the first plurality of feature plug-in modules are in the same class;

receiving ordering attribute information corresponding to the first plurality of feature plug-in modules, the ordering attribute information indicating an attribute for each class it belongs to ~~The method of claim 8~~, wherein the attribute for each of the at least two feature plug-in modules in the first plurality of feature plug-in modules comprises one of global exclusive, top exclusive, bottom exclusive, class exclusive, and a weight factor; and

ordering the first plurality of feature plug-in modules based on the classification information and the ordering attribute information; and
applying the first plurality of feature plug-in modules to a first volume.

10. (Original) The method of claim 6, wherein at least two feature plug-in modules in the first plurality of feature plug-in modules are in the same class and wherein the step of ordering the first plurality of feature plug-in modules further comprises:
- receiving order selection information from a user; and
 - ordering the first plurality of feature plug-in modules based on the order selection information.
11. (Original) The method of claim 1, wherein the first plurality of feature plug-in modules form a feature stack.
12. (Original) The method of claim 1, further comprising:
- selecting a second plurality of feature plug-in modules from the set of feature plug-in modules;
 - ordering the second plurality of feature plug-in modules; and
 - applying the second plurality of feature plug-in modules to a second volume.
13. (Original) The method of claim 12, wherein at least one feature plug-in module in the second plurality of feature plug-in modules is not in the first plurality of feature plug-in modules.
14. (Original) The method of claim 12, wherein the first plurality of feature plug-in modules and the second plurality of feature plug-in modules are ordered differently.
15. (Original) A method for providing features in a logical volume management system, comprising:
- loading at least one feature plug-in module; and
 - applying the at least one feature plug-in module to a volume.
16. (Original) The method of claim 15, further comprising:
- receiving a call through an application program interface; and

performing an action on the volume using the at least one feature plug-in module in response to the call.

17. (Original) An apparatus for providing features in a logical volume management system, comprising:

loading means for loading a set of feature plug-in modules;

selection means for selecting a plurality of feature plug-in modules from the set of feature plug-in modules;

ordering means for ordering the plurality of feature plug-in modules; and

application means for applying the plurality of feature plug-in modules to a volume.

18. (Original) The apparatus of claim 17, wherein the volume comprises at least one aggregate and wherein the selection means comprises:

means for receiving logical volume manager data associated with the at least one aggregate; and

means for selecting the plurality of feature plug-in modules based on the logical volume manager data associated with the at least one aggregate.

19. (Original) The apparatus of claim 18, wherein the aggregate comprises at least one partition and wherein the selection means further comprises:

means for receiving logical volume manager data associated with the at least one partition; and

means for selecting the plurality of feature plug-in modules based on the logical volume manager data associated with the at least one partition.

20. (Original) The apparatus of claim 17, wherein the volume comprises at least one partition and wherein the selection means comprises:

means for receiving logical volume manager data associated with the at least one partition; and

means for selecting the plurality of feature plug-in modules based on the logical volume manager data associated with the at least one partition.

21. (Original) The apparatus of claim 17, wherein the selection means comprises:
means for receiving a selection of a plurality of feature plug-in modules by a user;
and
means for selecting the plurality of feature plug-in modules based on the selection.

22. (Original) The apparatus of claim 17, wherein the ordering means comprises:
means for receiving classification information corresponding to the plurality of feature plug-in modules, the classification information indicating a class for each feature plug-in module in the plurality of feature plug-in modules; and
means for ordering the plurality of feature plug-in modules based on the classification information.

23. (Currently Amended) An apparatus for providing features in a logical volume management system, comprising:
loading means for loading a set of feature plug-in modules;
selection means for selecting a plurality of feature plug-in modules from the set of feature plug-in modules;
ordering means for ordering the plurality of feature plug-in modules, wherein the ordering means comprises:
means for receiving classification information corresponding to the plurality of feature plug-in modules, the classification information indicating a class for each feature plug-in module in the plurality of feature plug-in modules
~~The apparatus of claim 22, wherein the class for each of the feature plug-in modules in the plurality of feature plug-in modules comprises one of partition, volume, and aggregate; and~~
means for ordering the plurality of feature plug-in modules based on the classification information; and

application means for applying the plurality of feature plug-in modules to a volume.

24. (Original) The apparatus of claim 22, wherein at least two feature plug-in modules in the plurality of feature plug-in modules are in the same class and wherein the ordering means further comprises:

means for receiving ordering attribute information corresponding to the plurality of feature plug-in modules, the ordering attribute information indicating an attribute for each class it belongs to; and

means for ordering the plurality of feature plug-in modules based on the ordering attribute information.

25. (Currently Amended) An apparatus for providing features in a logical volume management system, comprising:

loading means for loading a set of feature plug-in modules;

selection means for selecting a plurality of feature plug-in modules from the set of feature plug-in modules;

ordering means for ordering the plurality of feature plug-in modules, wherein the ordering means comprises:

means for receiving classification information corresponding to the plurality of feature plug-in modules, the classification information indicating a class for each feature plug-in module in the plurality of feature plug-in modules,

wherein at least two feature plug-in modules in the plurality of feature plug-in modules are in the same class;

means for receiving ordering attribute information corresponding to the plurality of feature plug-in modules, the ordering attribute information indicating an attribute for each class it belongs to ~~The apparatus of claim 24, wherein the attribute for each of the at least two feature plug-in modules in the plurality of feature plug-in modules comprises one of global exclusive, top exclusive, bottom exclusive, class exclusive, and a weight factor; and~~

means for ordering the plurality of feature plug-in modules based on the classification information and the ordering attribute information; and application means for applying the plurality of feature plug-in modules to a volume.

26. (Original) The apparatus of claim 22, wherein at least two feature plug-in modules in the plurality of feature plug-in modules are in the same class and wherein the ordering means further comprises:

means for receiving order selection information from a user; and
means for ordering the plurality of feature plug-in modules based on the order selection information.

27. (Original) The apparatus of claim 17, wherein the plurality of feature plug-in modules form a feature stack.

28. (Original) An apparatus for providing features in a logical volume management system, comprising:

loading means for loading at least one feature plug-in module; and
application means for applying the at least one feature plug-in module to a volume.

29. (Original) The apparatus of claim 28, further comprising:

means for receiving a call through an application program interface; and
means for performing an action on the volume using the at least one feature plug-in module in response to the call.

30. (Original) A computer program product, in a computer readable medium, for providing features in a logical volume management system, comprising:

instructions for loading a set of feature plug-in modules;
instructions for selecting a plurality of feature plug-in modules from the set of feature plug-in modules;

instructions for ordering the plurality of feature plug-in modules; and
instructions for applying the plurality of feature plug-in modules to a volume.

31. (Original) A computer program product, in a computer readable medium, for providing features in a logical volume management system, comprising:
instructions for loading at least one feature plug-in module; and
instructions for applying the at least one feature plug-in module to a volume.